1. (original): A Composition comprising

- (A) at least one nickel complex pigment and
- (B) at least one disperse dye of formula (1) or (2)

wherein R_1 is hydrogen, hydroxy or a radical -NHCO- R_6 wherein R_6 is C_1 - C_6 alkyl or unsubstituted or C_1 - C_4 alkyl- or halo-substituted phenyl,

 R_2 is hydrogen, hydroxy or a radical W-R₇ wherein W is -NHCO- or -S- and R₇ is C₁-C₆alkyl or unsubstituted or C₁-C₄alkyl- or halo-substituted phenyl,

R₃ is hydrogen,

R₄ is hydrogen or hydroxy,

R₅ is hydrogen, or

 R_3 and R_4 together form the radical of formula

, wherein the rings A and B, independently of one another, may carry further

substituents,

R₈ is hydrogen or -CO-C₂-C₆alkyl wherein the C₂-C₆alkyl radical may be substituted by carboxy,

or a radical R_{11} wherein R_{11} is hydrogen, C_1 - C_4 alkyl, hydroxy, carboxy or

halogen, R_{12} is hydrogen, C_1 - C_4 alkyl or halogen and R_{13} is hydrogen or C_2 - C_3 alkyl or, when R_{10} is halogen, R_{13} may be methyl,

R₉ is hydrogen or halogen,

R₁₀ is hydrogen or halogen, and

n is a number 0, 1 or 2,

with the proviso that R_9 , R_{10} , R_{11} , R_{12} and R_{13} are not all simultaneously hydrogen.

2. (original): A composition according to claim 1, comprising as nickel complex pigment (A) a compound of formula (3)

wherein R₁₄ and R₁₅ are each independently of the other CN or halogen or together with the carbon atoms to which they are bonded form an aromatic ring that is unsubstituted or substituted by one or more nitro, cyano, hydroxy, C₁-C₆alkyl, amino or C₁-C₆alkylamino groups or halogen atoms and R₁₆ to R₂₃ are each independently of the others hydrogen, halogen, -NO₂, -CN, -OH, -COOH, -CH₃, -NH₂ or -NHCH₃.

3. (original): A composition according to claim 2, comprising as nickel complex pigment (A) a compound of formula (3a) or (3b)

$$R_{22}$$
 R_{23}
 R_{24}
 R_{25}
 R_{26}
 R_{27}
 R_{16}
 R_{17}
 R_{18}
 R_{29}
 R_{29}
 R_{21}
 R_{21}
 R_{22}
 R_{24}
 R_{25}
 R_{26}
 R_{27}
 R_{16}
 R_{17}
 R_{17}
 R_{18}
 R_{21}
 R_{22}
 R_{23}
 R_{24}
 R_{25}
 R_{26}
 R_{27}
 R_{16}
 R_{17}
 R_{18}
 R_{18}
 R_{18}
 R_{18}
 R_{18}
 R_{18}

wherein R_{16} to R_{23} are as defined in claim 2 and R_{24} to R_{27} are each independently of the others hydrogen, halogen, -NO₂, -CN, -OH, -COOH, -CH₃, -NH₂ or -NHCH₃.

4. (original): A composition according to claim 3, comprising as nickel complex pigment (A) a compound of formula (3a) wherein R_{16} to R_{23} are hydrogen or a compound of formula (3b) wherein R_{16} to R_{27} are hydrogen.

5. (original): A composition according to claim 1, comprising as disperse dye (B) at least one compound of formulae (1a) - (1e)

$$(1c), \qquad \qquad \bigcap_{N \to \infty} A \to 0 \qquad \qquad (1d), \qquad \qquad \bigcap_{N \to \infty} A \to 0 \qquad \qquad (1d),$$

6. (original): A composition according to claim 1, comprising as disperse dye (B) at least one compound of formulae (2a) – (2k)

$$(2a), \qquad \qquad \begin{array}{c} \\ \\ \\ \\ \\ \\ \\ \end{array}$$

(1b),

(2c),

- 7. (currently amended): A composition according to any one of the preceding claims claim 1, comprising additionally
- (c) a pigment of formula (4) or (5)

$$(4), \qquad 0 \\ N^{+} \longrightarrow N \\ N^{+} = 0$$

8. (currently amended): A composition according to claim 1, comprising as disperse dye (B) a trichromatic mixture comprising at least one blue-dyeing dye of formulae (1a) – (1e)

according to claim-5, at least one red-dyeing dye of formulae (2a) - (2k)

(2a), (2b), (2d), (2c), (2e), (2f), C(CH₃)₃ о҂он (2g), (2h), (2i), (2j),

according to claim 6-and the yellow-dyeing dye of formula (6)

- 9. (currently amended): <u>A method of Use of a composition according to claim 1 in the dyeing or printing of semi-synthetic or synthetic hydrophobic fibre materials, which comprises contacting said materials with a tinctorially effective amount of a composition according to claim 1.</u>
- 10. (currently amended): A method of producing Use of a composition according to claim 1 in the production of coloured plastics or polymeric colour particles, which comprises incorporating a tinctorially effective amount of a composition according to claim 1 into said materials.